

UNITED STATES

ADOLESCENT AND ADULT USE

Percent (%) Currently Using Drug

Alcohol	48.3	46.6	44.8	17.3	16.4	16.1	58.8	56.8	58.9	50.8	49.0	46.4
Binge Alcohol Use *	20.5	20.6	20.2	10.6	10.4	10.5	38.7	37.8	39.1	18.8	19.1	18.3
Heavy Alcohol Use **	5.7	5.6		2.5	2.6		13.6	12.8		4.8	4.8	
Any Tobacco	29.5	29.3	35.5	15.1	15.6	19.4	43.9	42.9	52.0	29.0	28.9	34.9
Cigarettes	24.9	24.9	29.2	13.0	13.4	15.1	39.1	38.3	45.6	24.2	24.2	28.3
Smokeless Tobacco	3.2	3.4		2.1	2.1		5.4	5.0		3.0	3.3	
Any Illicit Drug	7.1	6.3	5.3	10.8	9.7	8.2	18.8	15.9	15.5	4.5	4.2	3.1
Marijuana/Hashish	5.4	4.8	4.3	8.0	7.2	6.6	16.0	13.6	13.6	3.2	3.0	2.5
Inhalant	0.2	0.3		1.0	1.0		0.6	0.6		0.1	0.1	
Hallucinogen	0.6	0.4		1.2	1.2		2.7	1.8		0.1	0.1	
LSD	0.1	0.2		0.4	0.5		0.6	0.8		0.0	0.0	
PCP	0.0	0.0		0.1	0.1		0.1	0.1		***	0.0	
Ecstasy	0.3			0.6			1.7			0.1		
Cocaine (any form)	0.7	0.5		0.4	0.6		1.9	1.4		0.6	0.4	
Crack Cocaine	0.2	0.1		0.1	0.1		0.3	0.1		0.2	0.1	
Heroin	0.1	0.1		0.0	0.1		0.2	0.1		0.0	0.1	
Pain Reliever (non-medical use)	1.6	1.2		2.6	2.3		3.6	2.7		1.1	0.9	
Stimulant (non-medical use)	0.5	0.4		0.7	0.8		1.3	0.8		0.3	0.2	
Methamphetamine	0.3	0.2		0.2	0.3		0.7	0.3		0.2	0.1	
Sedative (non-medical use)	0.1	0.1		0.1	0.2		0.2	0.1		0.1	0.1	
Tranquilizer (non-medical use)	0.6	0.4		0.5	0.5		1.3	1.0		0.5	0.4	

Percent (%) Ever Using Drug

Alcohol	81.7	81.0		42.9	41.7		85.0	84.0		86.5	85.8	
Any Tobacco	71.4	70.5		37.0	38.0		73.6	72.1		75.7	74.7	
Cigarettes	67.2	66.5		33.6	34.6		69.0	67.3		71.5	70.7	
Smokeless Tobacco	19.1	18.5		8.3	8.6		23.7	23.6		19.8	19.1	
Any Illicit Drug	41.7	38.9		28.4	26.9		55.6	51.2		41.2	38.5	
Marijuana/Hashish	36.9	34.2		19.7	18.3		50.0	45.7		37.0	34.4	
Inhalant	8.1	7.5		8.6	8.9		13.4	12.8		7.1	6.4	
Hallucinogen	12.5	11.7		5.7	5.8		22.1	19.3		11.9	11.2	
LSD	9.0	8.8		3.1	3.6		15.3	14.0		8.7	8.6	
PCP	2.7	2.6		1.0	1.1		2.6	2.3		2.9	2.9	
Ecstasy	3.6	2.9		3.2	2.6		13.1	9.7		2.0	1.8	
Cocaine (any form)	12.3	11.2		2.3	2.4		13.0	10.9		13.6	12.4	
Crack Cocaine	2.8	2.4		0.6	0.6		3.4	2.8		2.9	2.5	
Heroin	1.4	1.2		0.3	0.4		1.6	1.4		1.5	1.3	
Pain Reliever (non-medical use)	9.8	8.6		9.4	8.4		18.2	14.6		8.4	7.6	
Stimulant (non-medical use)	7.1	6.6		3.7	4.0		9.5	7.6		7.1	6.7	
Methamphetamine	4.3	4.0		1.4	1.3		5.1	4.1		4.5	4.3	
Sedative (non-medical use)	3.3	3.2		0.7	0.8		1.9	1.6		3.9	3.8	
Tranquilizer (non-medical use)	6.2	5.8		2.6	2.5		8.9	7.4		6.2	6.0	
Needle Drug Use	1.5			0.4			1.4			1.7		

* "Binge" alcohol use in the National Household Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days

** "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days

*** Low precision; no estimate reported

Sources: [66, 67]